

Templates functions summary table

This document contain templates functions summary table. It's useful for quick reference.

title	syntax	attributes
Site versions functions		
a_version	<code>{a_version get="name" id=22}</code>	<ul style="list-style-type: none"> • get – the version property to be displayed • id – site version ID
a_versions	<code>{a_versions assign="versions"} {foreach from=\$versions item="it"} href} ">{ \$it->name}
 {/foreach}</code>	<ul style="list-style-type: none"> • assign – name of the versions array
Site Sections Functions		
a_section	<code>{a_section id=64 get="date" date_format="%d.%m.%Y" }</code>	<ul style="list-style-type: none"> • get – section property to be displayed • id – site section ID • date_format – date format • module – section module name
a_sections	<code>{a_sections id=64 assign="news" limit=3 module="content"} {foreach from=\$news item="it"} href} ">{ \$it->name}
 {/foreach}</code>	<ul style="list-style-type: none"> • id – parent section ID for returned sections • assign – name of the sections array • limit – maximum number of returned sections • module – name of the parent section module • static – determines whether the returned list of sections will static (fixed)

title	syntax	attributes
a_section_trail	<pre>{a_section_trail current="yes" startpage="homepage" divider="&raquo;" }</pre>	<ul style="list-style-type: none"> • current – outputs the name of the current section in the navigation trail • link – makes the navigation elements appear as links • startpage – name of the homepage • divider – navigation elements separator
a_sitemap	<pre>{a_sitemap limit=3 totalstr="... sections in total " }</pre>	<ul style="list-style-type: none"> • limit – number of subsections in a branch of the site tree • totalstr – message to be displayed in a branch when the number of subsections exceeds the limit designated in the "limit" attribute
a_sections_tab	<pre>{a_sections_tab count=10 rdiv="]" ldiv="[" }</pre>	<ul style="list-style-type: none"> • count – number of sections in a navigation group • rdiv – right-hand separator (do not use { and } as a separator) • ldiv – left-hand separator
a_sections_level	<pre>{a_sections_level id=2 assign="news" level=1} {foreach from=\$news item="it"} href }">{ \$it->name}
 {/foreach}</pre>	<ul style="list-style-type: none"> • id – ID of parent section for returned sections • assign – name of the sections array • level – subsections level • module – module name for the parent section
a_sections_repmenu	<pre>{a_sections_repmenu divider="/"}</pre>	<ul style="list-style-type: none"> • id – parent section ID • divider – navigation elements separator
a_sections_count	<pre>{a_sections_count assign="count"}</pre>	<ul style="list-style-type: none"> • id – parent section ID • assign – variable name to be assigned to the function output

title	syntax	attributes
a_sections_rand	<pre>{a_sections_rand limit=1 assign="ad"} {foreach from=\$ad item="i"} {\$i->Image->string} {/foreach}</pre>	<ul style="list-style-type: none"> • id – parent section ID • limit – maximum number of returned sections • assign – name of the sections array
Site sections functions		
a_section_content	<pre>{a_section_content get="name"}</pre>	<ul style="list-style-type: none"> • id – section ID • get – page property
a_section_content_items	<pre>{a_section_content_items assign="items"} {foreach from=\$items item="it"} href}">{\$it->name}
 {/foreach}</pre>	<ul style="list-style-type: none"> • assign – name of the content items array